

**Material Safety Data Sheet**

**Diamond Gel UV**

**Section 1 - Identification of the Substance/Preparation and of the Company/Undertaking**

Product Name: Diamond GEL CLEAR

MSDS Approval 04/07/2003

Chemical Name: N/A

Date:

MSDS Prepared by: BSQ

Family: UV GELS

GEL Type: TYPE  
5

Manufacturer: ABC International Sp. z o.o.  
Ul. Odolańska 10 Warszawa 02-560

Product Use: NAIL GEL

Emergency Phone Numbers: (0048)42 631 47 24

**Product #:**

Information Contacts: (0048)228800455

**various**

**Section 2 - Composition/Information on Ingredients**

| Chemical Identity   | CAS#                     | EINECS#          | INCI (or other substance) Name      | Exposure OSHA TWA/STEL | Limits ACGIH TWA/STEL | Carcinogen IARC/NTP/OSHA | %     |  |
|---|--------------------------|------------------|-------------------------------------|------------------------|-----------------------|--------------------------|-------|--|
| Polyurethane Acrylate Oligomer                            | Exempt                   | N/E              | Di-Hema Trimethylhexyl Dicarbamate* | N/E                    | N/E                   | Not Listed               | 70-75 |  |
| Tripropylene Glycol Diacrylate Esters (TPGDA)             | 42978-66-5               | 256-032-2        | N/E                                 | N/E                    | N/E                   | Not Listed               | 15-20 |  |
| Ethoxylated Trimethylolpropane triacrylate esters (ETPTA) | 28961-43-5               | N/DA             | N/E                                 |                        |                       | Not Listed               | 5-10  |  |
| Hydroxycyclohexyl phenyl ketone                           | 947-19-3                 | 213-426-9        | Hydroxycyclohexyl phenyl ketone     | N/E                    | N/E                   | Not Listed               | 0-1   |  |
| Benzophenone  | 119-61-9                 | 204-337-6        | Benzophenone                        | N/E                    | N/E                   | Not Listed               | 0-1   |  |
| D&C Violet #2   | 81-48-1                  | 201-353-5        | Violet 2/CI60725                    | N/E                    | N/E                   | Not Listed               | 0-1   |  |
| N/E - None Established                                    | N/DA - No Data Available | * See section 16 |                                     |                        |                       |                          |       |  |
| N/R - Not Reviewed  | N/A - Not Applicable     |                  |                                     |                        |                       |                          |       |  |

Hazard Symbols: Xi Risk Phrases: R22, R36/38, R43 Safety Phrases: S18, S24/25, S36/37, S38

**Section 3 - Hazards Identification**

**EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause chemical burn in eye.

**Potential Health Effects, Signs and Symptoms of Exposure:**

Primary Route of Entry No specific information available.

- Eye** No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation.
- Skin** No specific information available. Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.
- Ingestion** No specific information available. Contains materials that may be practically nontoxic.
- Inhalation** No specific information available. Low volatility makes vapor inhalation unlikely. Aerosol can be irritating.
- Sub-Chronic Effects** No specific information available. Limited tests showed no evidence of teratogenicity in animals. A lifetime skin painting study with mice showed no evidence of carcinogenicity.

NOTE: Refer to Section 11, Toxicological Information for Details

**Section 4 - First Aid Measures**

First Aid for Eye Flush with plenty of water for 15 minutes and seek medical attention.

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

## Material Safety Data Sheet

## Diamond Gel UV

**First Aid for Inhalation** In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

**First Aid for Ingestion** If appreciable quantities are swallowed, seek medical attention.

### Section 5 - Fire Fighting Measures

| Flash Point(°F/°C)      | Flammable Limit(vol%) | Auto-ignition Temperature(vol%) |
|-------------------------|-----------------------|---------------------------------|
| > 212°F/100°C Setaflash | No Data               | No Data                         |

|                                    |  |
|------------------------------------|--|
| <b>Method:</b>                     |  |
| <b>Extinguishing Media:</b>        | Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.   |
| <b>Fire Fighting Instructions:</b> | Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion exists.  |
| <b>Unusual Hazards:</b>            | High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur. |

### Section 6 - Accidental Release Measures

**Spill or Release Procedures** Spontaneous polymerization can occur. Although material is non-flammable please try to eliminate all ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detergent and water solution; rinse with water, but minimize water use during cleanup. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

### Section 7 - Handling and Storage

**Handling** Ground and bond containers when transferring material. Avoid contact with skin and eyes, and clothing. Use with adequate ventilation and avoid breathing in vapor. Keep container closed when not in use. Avoid contact with heat, sparks and flame. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks, or open flames. Material is UV light sensitive, avoid prolonged exposure to light/heat.

**Storage** Keep away from heat, sparks, and flame. Store in a tightly closed container. Store in a cool, dry, well-ventilated place, away from any type of light. Store at temperatures below 100°F/38°C.

**Explosion Hazard** High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the violent rupture of storage vessels or containers.

### Section 8 - Exposure Controls / Personal Protective Equipment

**Engineering Controls** Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.

#### Personal Protective Equipment

**General** To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

**Eye/ Face Protection** Wear chemical splash goggles.

**Skin Protection** Wear impervious gloves (Neoprene).

**Respiratory Protection** A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the

## Material Safety Data Sheet

## Diamond Gel UV

use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

### Section 9 - Physical and Chemical Properties

|                                  |                              |  |                             |                                 |                     |          |                                      |
|----------------------------------|------------------------------|--|-----------------------------|---------------------------------|---------------------|----------|--------------------------------------|
| Appearance                       | Odor & Odor Threshold        | pH   | Specific Gravity            | Viscosity                       | % Volatile          |          |                                      |
| Clear, viscous liquid            | characteristic acrylate odor | NA   | (H <sub>2</sub> O=1) : 1.15 | N/DA                            | By Volume : < 0.5   |          |                                      |
| Boiling Point/<br>Freezing Point | Decomposition<br>Temperature | Octanol/Water<br>Partitioning<br>Coefficient<br>Log Po/w | Vapor<br>Pressure:          | Vapor<br>Density                | Evaporation<br>Rate | Ignition | Solubility In<br>Water<br><br>(20°C) |
| N/A                              | N/A                          | N/A  | (mm Hg) @ 20°C:<br>< 0.01   | No Data                         | No Data             | No Data  | Insoluble                            |
| Flash Point(°F/°C)               |                              | Flammable Limit(vol%)                                    |                             | Auto-ignition Temperature(vol%) |                     |          |                                      |
| > 212°F/100°C Setaflash          |                              | No Data  |                             | No Data                         |                     |          |                                      |

### Section 10 - Stability and Reactivity

|  |   |
|--|---|
| <p>Stability<br/>Normally Stable</p> <p>Hazardous Decomposition Products:<br/>Fumes produced when heated to decomposition may include:<br/>carbon monoxide, carbon dioxide.</p> <p>Conditions to Avoid:<br/>Storage &gt;100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.</p> | <p>Incompatibility (Materials to Avoid):<br/>Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust and string bases.</p> <p>Hazardous Polymerization:<br/>May occur -- Uncontrolled polymerization may cause rapid evolution of<br/>Heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.</p> |
|--|---|

### Section 11 - Toxicological Information

|   |                          |                           |                          |                          |
|---|--------------------------|---------------------------|--------------------------|--------------------------|
| Acute Oral Toxicity   | Acute Dermal Toxicity    | Acute Inhalation Toxicity | Irritation - skin        | Irritation - Eye         |
| No information available  | No information available | No information available  | No information available | No information available |
| Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals. |                          |                           |                          |                          |
| Sensitization   |                          | Mutagenicity              |                          | Sub-chronic Toxicity     |
| N/DA  |                          | N/DA                      |                          | N/DA                     |

### Section 12 - Ecological Information

#### Ecotoxicological Information

|                        |                                 |                         |                  |                             |
|------------------------|---------------------------------|-------------------------|------------------|-----------------------------|
| Acute Toxicity to Fish | Acute Toxicity to Invertebrates | Acute Toxicity to Algae | Bioconcentration | Toxicity to Sewage Bacteria |
| N/DA                   | N/DA                            | N/DA                    | N/DA             | N/DA                        |

#### Chemical Fate Information

|                        |      |
|------------------------|------|
| Biodegradability       | N/DA |
| Chemical Oxygen Demand | N/DA |

To the best of our knowledge, the ecotoxicological and chemical fate properties have not been thoroughly investigated. Do not allow to enter drinking water supplies, wastewater, or soil.

### Section 13 - Disposable Considerations

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations.

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

**Section 14 - Transport Information**

|   |                        |
|---|------------------------|
| DOT (49 CFR 172)                          |                        |
| Proper Shipping Name:                     | Non-Regulated Material |
| Identification Number:                    | N/A                    |
| Marine Pollutant:                         | No                     |
| Special Provisions:                       | N/A                    |
| Emergency Response Guidebook (ERG) #:     | N/A                    |
| IATA (DGR):                               |                        |
| Proper Shipping Name:                     | Non-Regulated Material |
| Class or Division:                        | N/A                    |
| UN or ID Number:                          | N/A                    |
| Packaging Instructions:                   |                        |
| Emergency Response Guidance (ICAO)#:      |                        |
| IMO (IMDG):                               |                        |
| Proper Shipping Name:                     | Non-Regulated Material |
| Class or Division:                        | N/A                    |
| UN or ID Number:                          | N/A                    |
| Special Provisions & Stowage/Segregation: | None                   |
| Emergency Schedule (EmS)#:                |                        |
| Other Information:                        | Flash point > 100°C    |

**Section 15 - Regulatory Information**


US Federal Regulations

|                                     |   |
|-------------------------------------|---|
| Clean Air Act: HAP/ODS              | This product contains the following hazardous air pollutants (HAP and ODS's), as defined by the U.S. Clean Air Act: <ul style="list-style-type: none"> <li>• Benzophenone (SOCMI Chemical).</li> </ul>  |
| Clean Water Act: Priority Pollutant | This product contains no chemicals listed under the U. S. Clean Water Act Priority Pollutant List.  |
| FDA: Food Packaging Status          | This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.  |
| Occupational Safety and Health Act  | This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul>                                    |
| RCRA                                | This product is not considered to be a hazardous waste under RCRA (40 CFR 261).   |
| SARA Title III: Section 302 (TPQ)   | This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.  |
| SARA Title III: Section 302 (RQ)    | This product contains no chemicals regulated under Section 304 as extremely hazardous chemical for emergency release notification (" CERCLA" List).   |
| SARA Title III: Section 311-312:    | This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"> <li>• Immediate (acute) health hazard</li> <li>• Delayed (chronic) health hazard</li> <li>• Reactive hazard</li> </ul> |
| SARA Title III: Section 313:        | This product contains no chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.   |
| TSCA Section 8(b): Inventory:       | This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements.  |
| TSCA Significant New Use Rule:      | None of the chemicals listed have a SNUR under TSCA.  |

**State Regulations**

|                                      |                            |
|--------------------------------------|----------------------------|
| CA Right-to-Know Law:                | NONE                       |
| California No Significant Risk Rule: | NONE                       |
| MA Right-to-Know Law:                | NONE                       |
| NJ Right-to-Know Law:                | NONE                       |
| PA Right-to-Know Law:                | NONE                       |
| FL Right-to-Know                     | NONE                       |
| MN Right-to-Know                     | Benzophenone CAS #119-61-9 |


**International Regulations**

|   |   |
|---|---|
| CDSL: Canadian Inventory (on Canadian Transitional List)  | Benzophenone CAS #11-61-9 is on the DSL list. WHMIS = n/da<br>Hydroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS = n/da<br>Tripropylene Glycol Diacrylate Esters (TPGDA) CAS #42978-66-5 is on the DSL list. WHMIS= n/da<br>Ethoxylated Trimethylolpropane triacrylate esters (ETPTA) CAS# 28961-43-5 is on the DSL list. WHMIS= n/da  |
| EINECS: European Inventory:<br> | Prima Gel Clear:<br><ul style="list-style-type: none"> <li>HAZARD SYMBOLS: Xi: Irritant</li> <li>RISK PHRASES: R22: Harmful if swallowed, R36/38: Irritating to eyes and skin, R43: May cause sensitization by skin contact.</li> <li>SAFETY PHRASES: S18: Handle and open container with care, S24/25: avoid contact with skin and eyes, S36/37: Wear suitable protective clothing and gloves, S38: in case of insufficient ventilation, wear suitable respiratory equipment.</li> </ul> |


**Section 16 - Other Information**

**Hazard Rating System (Pictograms)**

NFPA:



HMIS:



\* - Respiratory protection may be necessary depending on conditions of use. Refer to Section VIII of this MSDS for respiratory protection guidelines.

OSHA PEL for nuisance dust: 15 mg/m<sup>3</sup> (total dust) 5 mg/m<sup>3</sup> (respirable dust)

ACGIH PEL for nuisance dust: 10 mg/m<sup>3</sup>

|                                      |   |
|--------------------------------------|---|
| Revised Sections since Last Version: | Overall format revision and section 2 % update  |
|                                      | 04/30/08 Updated INCI name for Polyurethane Acrylate Oligomer.<br>* Most ABC gels are composed of oligomers made primarily from urethane methacrylates. ABC is using the designation Di HEMA Trimethylhexyl Dicarbamate, the official INCI name of urethane dimethacrylate, which is substantially the equivalent of Polyurethane Acrylate Oligomer |

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (0048)42 631 47 24.